



Himorise Surgical



High Quality **ORTHOPEDIC IMPLANTS**
Instruments



www.himorisesurgical.com



Himorise Surgical

Introduction:

HIMORISE SURGICAL is running his first generation family business successfully since 2000. HIMORISE SURGICAL committed to produce vast range of best quality products.

HIMORISE SURGICAL consists of an incorporated manufacturing facility, highly skilled workers to produce wide range of products. We are located in the Industrial city of Sialkot that is well known city all over the world for the production of best quality products.

Products Range:

HIMORISE SURGICAL produce wide range of products under highly skilled supervision and monitoring system. Each product carefully checked under the strict quality control process before packing.

Technology:

HIMORISE SURGICAL highly equipped with the latest technology of machines that are being controlled by experienced Technicians and Engineers. Research and development are the main parts of Company which help us to control the quality of products to compete International markets.

Vision of Company:

HIMORISE SURGICAL believes in every possible satisfaction of our prestigious customers and always preferred to provide the highest quality standard at most competitive prices, because the customer satisfaction is our pride and honor.



All Types Of Screws.....	04-07
Spine Implants.....	08
2.4/2.7/3.5/4.0 MM Plates.....	09-11
4.5/5.0/6.5 MM Plates.....	12-14
Hip Prosthesis.....	15
Maxillofacial Plates & Elastic Nails.....	16
Tools For Implants.....	17-22



HS-00-101

3.5mm cortical screw

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-102

3.5mm Locking screw

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-103

3.5mm Malleolar screw

Lengths: 16, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-104

4.0mm Cancellous screw (Full Thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-105

4.0mm Cancellous screw (Half Thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-106

4.0mm Cannulated screw (Full Thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-107

4.0mm Cannulated screw (Half Thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-108

4.0mm Cancellous Locking screw (Full Thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-109

4.0mm Cancellous locking screw (Half thread)

Lengths: 10mm, 12mm To 80mm

Material: Available both in steel and Titanium



HS-00-110

4.0mm interlocking screw
Lengths: 16mm, 18mm To 80mm
Material: Available both in steel and Titanium



HS-00-111

3.5/4.0mm Screw Washers
Material: Available both in steel and Titanium



HS-00-112

4.9mm interlocking screw (Half Thread)
Lengths: 16mm, 18mm To 100mm
Material: Available both in steel and Titanium



HS-00-113

4.5mm cortical screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



HS-00-114

4.5mm locking screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



HS-00-115

4.5mm Malleolar screw
Lengths: 20mm, 22mm To 100mm
Material: Available both in steel and Titanium



HS-00-116

4.5/6.5mm Screw Washers
Material: Available both in steel and Titanium



HS-00-117

5.0mm locking screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



HS-00-118

5.0mm locking cancellous screw
Lengths: 10mm, 12mm To 100mm
Material: Available both in steel and Titanium



HS-00-119

6.5mm cancellous screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



HS-00-120

6.5mm cannulated screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



HS-00-121

6.5mm cancellous locking screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



HS-00-122

6.5mm cannulated locking screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



HS-00-123

7.3mm locking cannulated screws
Thread: 16mm-32mm-Full
Lengths: any of your required size upto 120mm
Material: Available both in steel and Titanium



HS-00-124

Interference screw
Diameter: 7mm , 8mm , 9mm , 10mm , 11mm
Lengths: 23mm , 30mm or any of your required size.
Material: Available both in steel and Titanium



HS-00-125

1.5mm cortical screw
Lengths: 6mm , 12mm To 34mm
Material: Available both in steel and Titanium



HS-00-126

2.0mm cortical screw
Lengths: 6mm , 12mm To 36mm
Material: Available both in steel and Titanium



HS-00-127

2.4mm Cortical screw
Lengths: 10mm , 12mm To 44mm
Material: Available both in steel and Titanium



HS-00-127-A

2.4mm locking screw

Lengths: 10mm, 12mm To 44mm

Material: Available both in steel and Titanium



HS-00-128

2.7mm cortical screw

Lengths: 6mm, 12mm To 40mm

Material: Available both in steel and Titanium



HS-00-129

2.7mm locking screw

Lengths: 6mm, 12mm To 40mm

Material: Available both in steel and Titanium



HS-00-130

2.4mm Herbert screw

Lengths: 10mm, 12mm To 40mm

Material: Available both in steel and Titanium



HS-00-131

3mm Herbert screw

Lengths: 10mm, 12mm To 60mm

Material: Available both in steel and Titanium



HS-00-132

Lag screws for DHS/DCS

Lengths: any of your required size upto 120mm

Material: Available both in steel and Titanium



HS-00-133

Spine monoAxial screw

Lengths: any of your required size
upto 130mm

Material: Titanium




HS-00-134

Spine PolyAxial screws

Lengths: any of your required size
upto 130mm


Material: Titanium



HS-00-135

bars for spine monoaxial/polyaxial
screw

Material: Titanium



HS-00-136

Cross link for spine
monoaxial/polyaxial screws

Material: Titanium



HS-00-137

Bars for connectors/cross link of
monoaxial/polyaxial

Material: Titanium

Spine Implants



HS-00-138

2.4/2.7 LCP (locking) Distal Radius Volar plate

Orientation: Left and Right

Sizes : 2 Hole , 3 Hole To 16 Hole

Material: Available both in steel and Titanium



HS-00-139

2.4/2.7/3.5/4.0mm LCP (locking) Wrist plate

Sizes : 2 Hole , 3 Hole To 10 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-140

3.5/4.0mm DCP (non locking) straight plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



HS-00-141

3.5/4.0mm LCP (locking) straight plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



HS-00-142

3.5/4.0mm DCP (non locking)

Reconstruction plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Model: Straight and curved

Material: Available both in steel and Titanium



HS-00-143

3.5/4.0mm LCP (locking)

reconstruction plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Model: Straight and curved

Material: Available both in steel and Titanium



HS-00-144

3.5/4.0mm DCP (non locking) 1/3 tubular plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Material: Available both in steel and Titanium



HS-00-145

3.5/4.0mm LCP (locking) 1/3 tubular plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Material: Available both in steel and Titanium



HS-00-146

3.5/4.0mm DCP (non locking) T oblique plate

Sizes : 3 Hole , 4 Hole To 12 Hole

Model: A: Single use B: Both Side

USE (2.5mm thickness)

Material: Available both in steel and Titanium



HS-00-147

3.5/4.0mm LCP (locking) T oblique plate
 Sizes: 3 Hole , 4 Hole To 12 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-148

3.5/4.0mm LCP (locking) T plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Model: A: 3 holes of head B: 4 holes at head
 Material: Available both in steel and Titanium



HS-00-149

3.5/4.0mm DCP (non locking) T plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Material: Available both in steel and Titanium



HS-00-150

3.5/4.0mm LCP (locking) Clavicle S plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-151

3.5/4.0mm LCP (locking) Clavicle plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-152

3.5/4.0mm LCP (locking) Clavicle plate (6 holes at head)
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-153

3.5/4.0mm LCP (locking) Clavicle Hook plate
 Sizes : 3 Hole , 4 Hole To 10 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-154

3.5/4.0mm LCP (locking) Distal Tibia medial plate
 Sizes : 3 Hole , 4 Hole To 16 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-155

3.5/4.0mm LCP (locking) Proximal humerus (philos) plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-156

3.5/4.0mm LCP (locking) Olecranon plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-157

3.5/4.0mm LCP (locking) Cloverleaf plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



HS-00-158

3.5/4.0mm DCP (non locking) Cloverleaf plate

Sizes : 3 Hole , 4 Hole To 18 Hole

Material: Available both in steel and Titanium



HS-00-159

3.5/4.0mm LCP (locking) Calcaneal plate

Sizes : 45mm , 60mm , 70mm

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-160

3.5/4.0mm LCP (locking) Distal humerus lateral plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-161

2.7/3.5/4.0mm LCP (locking) Distal Humerus lateral with support plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-162

2.7/3.5/4.0mm LCP (locking) Distal humerus medial plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-163

3.5/4.0mm LCP (locking) Y plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-164

2.7/3.5/4.0mm LCP (locking) Distal Fibula plate

Sizes : 3 Hole , 4 Hole To 16 Hole

Orientation: Left and Right

Material: Available both in steel and Titanium



HS-00-165

4.5mm DCP (non locking) Narrow plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-166

4.5mm LCP (locking) Narrow plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-167

4.5mm DCP (non locking) Broad plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-168

4.5mm LCP (locking)
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-169

4.5/5.0mm LCP (locking) DHS Ø135 plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-170

4.5mm DCP (non locking) DHS Ø135 plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-171

4.5/5.0mm LCP (locking) DCS Ø95 plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-172

4.5mm DCP (non locking) DCS Ø95 plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Material: Available both in steel and Titanium



HS-00-173

4.5/5.0mm LCP (locking) Distal femur plate
 Sizes : 3 Hole , 4 Hole To 18 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-174

6.5/5.0/4.5mm LCP (locking) Distal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-175

6.5/4.5mm DCP (non locking) Distal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-176

7.3/5.0/4.5mm LCP (locking) Proximal femur plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-176-A

7.3/5.0/4.5mm LCP (locking) Proximal femur hook plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-176-B

6.5/5.0/4.5mm LCP (locking) Proximal femur hook plate
Sizes : 3 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-177

4.5/5.0mm LCP (locking) Proximal tibia medial plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-178

6.5/5.0/4.5mm DCP (non locking) Proximal tibia medial plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-179

4.5/5.0mm LCP (locking) Proximal tibia lateral plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-180

6.5/5.0/4.5mm DCP (non locking) Proximal tibia lateral plate
Sizes : 2 Hole , 4 Hole To 18 Hole
Orientation: Left and Right
Material: Available both in steel and Titanium



HS-00-181

6.5/5.0/4.5mm LCP (locking) T plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Material: Available both in steel and Titanium



HS-00-182

6.5/4.5mm DCP (non locking) T
 Buttress plate
 Sizes : 3 Hole , 4 Hole To 12 Hole
 Material: Available both in steel and Titanium



HS-00-183

6.5/4.5mm DCP (non locking) L
 Buttress plate
 Sizes : 3 Hole , 4 Hole To 16 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-184

6.5/4.5mm LCP (locking) L Buttress
 plate
 Sizes : 3 Hole , 4 Hole To 16 Hole
 Orientation: Left and Right
 Material: Available both in steel and Titanium



HS-00-185

6.5/4.5mm DCP (non locking)
 Condylar Buttress plate
 Sizes : 3 Hole , 4 Hole To 16 Hole
 Orientation: Left and Right
 Note: Locking model is also available.
 Material: Available both in steel and Titanium



HS-00-186

Thompson Hip prosthesis
Sizes : 36mm , 37mm To 58mm
Material: steel



HS-00-187

Lazcano Hip prosthesis
Sizes : 36mm , 37mm To 58mm
Material: steel



HS-00-188

Austin Moore Hip prosthesis
(Standard)
Sizes : 36mm , 37mm To 58mm
Material: steel

Hip Prosthesis



HS-00-189


Elastic nails

Sizes: 1.5mm, 2.0mm x 350mm
2.5mm, 3.0mm, 3.5mm, 4.0mm,
4.5mm x 440mm
Material: Titanium



HS-00-191

Maxillofacial 1.5/2.0mm plates
Sizes: 1.5/2.0mm Mesh plate
Material: Titanium



HS-00-190

Maxillofacial 1.5/2.0mm plates
Material: Titanium



Depth gauge
HS-00-192



Universal Drill Guide
HS-00-193



Handle With Mini Quick Coupling
HS-00-194



T-Handle With Quick Coupling
HS-00-195



Universal Chuck With T-Handle
HS-00-196



HS-00-197



Hammer

HS-00-198



Gauge Straight

HS-00-199



Gauge Curved

HS-00-200



Wire Sleeve

HS-00-201



Bending Iron For Kirschner Wires

HS-00-202



Bending Iron

HS-00-203



Bending Iron For Reconstruction Plates

HS-00-204





HS-00-205

Periosteal Elevator , Curved With Round Edge



HS-00-206

Periosteal Elevator , Straight with Round Edge



HS-00-207

Periosteal Elevator , Straight



HS-00-208

Periosteal Elevator , Curved



HS-00-209

Hohmann Retractor



HS-00-210


Bone Hook



Hammer HS-00-211



Hammer HS-00-212




Hexagonal Screw Driver With Quick Coupling

HS-00-213



Quick Coupling Drill Bit
HS-00-214




Hexagonal Screw Driver With Fiber Handle
HS-00-215



Cruciform Screw Driver (For Cross Head Screws)
HS-00-216




Holding Sleeve For Hexagonal Drivers
HS-00-217



Countersink with T - Handle
HS-00-218



Countersink With Quick Coupling
HS-00-219



Bone Tap for Cancellous for cancellous Screws
HS-00-220



Jacob chuck drill bit
HS-00-221



Bone Tap
HS-00-222



Sleeve guide
HS-00-223



Rigid reamer
HS-00-224



Drill guide
HS-00-225




Plate bender
HS-00-226



Screw driver with handle for spine screw
HS-00-227



CONTACT US

Pakistan Office

Saleem Pur, P.O Malkay Kalan
Sialkot 51310 Pakistan

Contact #: +92-316-88 98 415

E-mail: info@himorisesurgical.com

WEB: www.himorisesurgical.com

Saudi Arabia Office

ALI-Jubail, Kindom of Saudi Arabia

Contact #: +966-595 33 44 69



E-mail: sales@himorisesurgical.com

WEB: www.himorisesurgical.com